

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

145

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



CLASSINGS THROUGH JANUARY 4, 2001

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	29	637	3,948	16,136	70,453	188,443	323,975	385,085	988,706
	3	23	571	3,955	14,096	36,488	85,880	157,813	210,422	509,248
	4	2	142	918	3,509	7,420	13,271	19,476	21,991	66,729
	5	-	12	135	419	944	1,700	1,963	1,885	7,058
	6	-	-	14	16	72	108	161	169	540
	7	-	-	1	1	2	-	9	15	28
	TOTAL----	54	1,362	8,971	34,177	115,379	289,402	503,397	619,567	1,572,309
31	1-2	10	171	928	2,910	18,094	83,124	200,382	277,015	582,634
	3	44	776	4,127	12,822	41,126	176,328	523,370	878,602	1,637,195
	4	47	467	2,485	7,810	18,515	46,440	120,526	206,033	402,323
	5	1	78	457	1,501	3,751	7,460	12,477	16,713	42,438
	6	-	4	37	131	306	767	1,309	1,609	4,163
	7	-	-	-	6	9	50	92	97	254
	TOTAL----	102	1,496	8,034	25,180	81,801	314,169	858,156	1,380,069	2,669,007
41	1-2	-	19	143	723	7,053	38,241	98,588	141,191	285,958
	3	6	198	1,604	6,873	30,707	140,212	434,597	798,163	1,412,360
	4	10	148	1,629	8,437	28,741	79,595	172,311	283,547	574,418
	5	-	52	624	3,651	12,387	29,724	42,523	41,803	130,764
	6	2	11	75	431	1,753	5,025	7,075	6,799	21,171
	7	-	-	4	14	105	354	375	411	1,263
	TOTAL----	18	428	4,079	20,129	80,746	293,151	755,469	1,271,914	2,425,934
51	1-2	-	-	5	58	665	3,008	7,650	10,167	21,553
	3	1	4	34	226	2,378	14,378	45,006	79,099	141,126
	4	-	2	24	170	1,205	7,579	21,895	39,452	70,327
	5	-	2	21	77	567	2,657	6,252	8,046	17,622
	6	-	-	4	30	167	757	1,714	2,257	4,929
	7	-	-	2	2	33	63	158	322	580
	TOTAL----	1	8	90	563	5,015	28,442	82,675	139,343	256,137
61	1-2	-	-	1	10	24	87	190	346	658
	3	-	1	1	13	120	467	823	1,039	2,464
	4	-	-	1	4	72	292	624	783	1,776
	5	-	-	-	2	7	59	121	222	411
	6	-	-	-	-	7	16	27	40	90
	7	-	-	-	-	4	1	7	6	18
	TOTAL----	-	1	3	29	234	922	1,792	2,436	5,417
71	1-2	-	-	2	-	6	21	24	15	68
	3	-	1	-	-	9	42	39	28	119
	4	-	1	2	-	10	21	27	13	74
	5	-	-	-	-	3	2	5	5	15
	6	-	-	-	-	-	1	-	1	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	2	4	-	28	87	95	62	278
12 & 22	1-2	31	516	1,841	5,616	14,802	28,342	34,097	29,512	114,757
	3	72	703	2,619	6,346	12,673	20,129	26,190	25,301	94,033
	4	15	171	556	1,440	2,718	3,256	4,472	4,959	17,587
	5	-	17	95	290	413	474	432	386	2,107
	6	-	1	3	49	28	54	38	32	175
	7	-	-	-	-	-	-	3	2	5
	TOTAL----	118	1,408	5,114	13,711	30,634	52,255	65,232	60,192	228,664
32	1-2	51	616	2,350	4,605	10,167	20,670	28,611	27,892	94,962
	3	294	2,993	11,743	23,188	38,129	59,311	76,979	76,916	289,553
	4	158	1,342	5,387	11,192	16,346	20,580	22,521	22,226	99,752
	5	19	173	643	1,430	2,389	3,315	3,025	2,185	13,179
	6	-	4	37	94	140	312	322	251	1,160
	7	-	-	3	3	3	17	22	35	83
	TOTAL----	522	5,128	20,163	40,512	67,174	104,205	131,480	129,505	498,689
42	1-2	16	175	671	1,691	6,398	18,407	31,009	31,961	90,328
	3	109	1,674	7,926	22,399	50,036	106,818	178,230	203,503	570,695
	4	75	1,591	8,867	24,584	46,441	74,818	98,481	100,931	355,788
	5	32	345	2,128	6,078	12,055	18,813	19,483	12,740	71,674
	6	11	43	192	479	1,195	1,930	2,093	1,481	7,424
	7	1	-	8	24	59	86	106	77	361
	TOTAL----	244	3,828	19,792	55,255	116,184	220,872	329,402	350,693	1,096,270
52	1-2	-	36	81	279	986	2,844	5,167	5,584	14,977
	3	10	253	700	1,715	5,442	18,572	37,312	40,595	104,599
	4	9	165	823	2,146	4,428	11,011	24,003	28,618	71,203
	5	12	68	292	991	2,276	3,954	5,797	5,738	19,128
	6	-	8	61	252	592	1,094	1,263	913	4,183
	7	-	1	3	27	44	130	138	82	425
	TOTAL----	31	531	1,960	5,410	13,768	37,605	73,680	81,530	214,515

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	5	32	74	200	439	798	1,548
	3	1	13	30	82	228	565	807	908	2,634
	4	-	2	16	74	113	378	650	567	1,800
	5	-	1	5	5	36	87	227	224	585
	6	1	-	-	1	4	25	39	50	120
	7	-	-	-	-	5	12	2	4	23
TOTAL----		2	16	56	194	460	1,267	2,164	2,551	6,710
13 & 23	1-2	10	58	187	464	812	1,249	1,360	744	4,884
	3	10	52	337	691	1,001	1,367	1,391	1,029	5,878
	4	-	8	64	177	231	277	298	351	1,406
	5	-	-	6	34	37	32	38	49	196
	6	-	-	2	3	3	1	1	7	17
	7	-	-	-	-	-	-	-	-	-
TOTAL----		20	118	596	1,369	2,084	2,926	3,088	2,180	12,381
33	1-2	20	155	347	515	641	795	827	798	4,098
	3	79	428	1,394	2,464	2,917	2,936	2,617	2,392	15,227
	4	22	133	467	842	1,021	1,150	1,008	1,130	5,773
	5	3	17	74	108	150	200	206	238	996
	6	-	-	5	13	21	27	9	35	110
	7	-	-	1	3	1	11	4	2	22
TOTAL----		124	733	2,288	3,945	4,751	5,119	4,671	4,595	26,226
43	1-2	41	150	426	792	1,042	1,005	962	755	5,173
	3	88	837	2,912	5,647	7,150	7,159	6,675	5,665	36,133
	4	62	670	2,182	3,840	4,477	4,173	3,674	3,282	22,360
	5	25	164	390	852	1,101	940	607	494	4,573
	6	-	29	21	62	133	109	89	65	508
	7	1	5	5	-	13	12	10	3	49
TOTAL----		217	1,855	5,936	11,193	13,916	13,398	12,017	10,264	68,796
53	1-2	22	132	278	534	619	643	619	309	3,156
	3	63	490	1,204	2,090	3,055	3,381	3,792	2,766	16,841
	4	12	197	643	1,255	1,462	1,773	2,179	1,864	9,385
	5	2	56	195	497	634	545	536	416	2,881
	6	2	14	23	90	151	201	151	80	712
	7	-	5	2	7	15	18	22	12	81
TOTAL----		101	894	2,345	4,473	5,936	6,561	7,299	5,447	33,056
63	1-2	5	33	22	69	93	152	143	84	601
	3	1	59	193	378	327	447	393	219	2,017
	4	1	28	90	168	155	181	147	123	893
	5	-	2	14	27	41	59	59	46	248
	6	-	3	5	4	6	12	7	17	54
	7	-	-	2	-	4	1	1	4	12
TOTAL----		7	125	326	646	626	852	750	493	3,825
24-54	1-7	8	115	243	439	612	767	1,005	1,122	4,311
25-35	1-7	-	-	-	-	1	7	5	2	15
81-85 1/	1-7	-	35	113	199	223	335	312	220	1,437
	8 2/	-	3	21	38	69	138	220	219	708
TOTAL, ALL----		1,569	18,086	80,134	217,462	539,641	1,372,480	2,832,909	4,062,404	9,124,685

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	391,842	370,994	247,441	48,468	8,418	705	1,067,868	2,056,574
	3	216,401	219,039	199,506	41,220	8,547	1,595	686,308	1,195,556
	4	18,141	13,154	11,606	2,896	626	91	46,514	113,243
	5	998	406	288	97	53	8	1,850	8,908
	6	92	11	3	2	-	-	108	648
	7	6	-	-	-	1	-	7	35
	TOTAL----	627,480	603,604	458,844	92,683	17,645	2,399	1,802,655	3,374,964
31	1-2	216,861	103,407	43,975	6,726	782	26	371,777	954,411
	3	836,232	438,710	193,539	31,795	3,577	244	1,504,097	3,141,292
	4	210,119	114,193	46,848	7,817	1,375	77	380,429	782,752
	5	12,395	5,200	2,050	660	230	15	20,550	62,988
	6	1,051	289	111	20	5	4	1,480	5,643
	7	45	14	4	2	-	-	65	319
	TOTAL----	1,276,703	661,813	286,527	47,020	5,969	366	2,278,398	4,947,405
41	1-2	93,710	35,124	11,405	982	59	1	141,281	427,239
	3	702,242	311,857	92,095	9,680	915	56	1,116,845	2,529,205
	4	290,711	163,071	57,666	6,888	855	34	519,225	1,093,643
	5	27,928	14,048	6,059	1,401	281	15	49,732	180,496
	6	3,154	1,190	523	183	44	5	5,099	26,270
	7	190	93	60	22	4	2	371	1,634
	TOTAL----	1,117,935	525,383	167,808	19,156	2,158	113	1,832,553	4,258,487
51	1-2	5,785	1,944	433	29	1	-	8,192	29,745
	3	63,573	25,362	6,184	395	19	3	95,536	236,662
	4	36,548	16,916	4,896	382	624	3,651	63,017	133,344
	5	5,573	2,975	1,106	119	14	2	9,789	27,411
	6	1,067	342	105	12	2	-	1,528	6,457
	7	135	29	22	1	-	-	187	767
	TOTAL----	112,681	47,568	12,746	938	61	9	174,003	430,140
61	1-2	319	105	51	15	-	-	490	1,148
	3	983	518	199	16	-	-	1,716	4,180
	4	689	429	140	20	-	-	1,278	3,054
	5	186	110	39	2	-	-	337	748
	6	66	18	6	-	-	-	90	180
	7	6	2	-	-	-	-	8	26
	TOTAL----	2,249	1,182	435	53	-	-	3,919	9,336
71	1-2	11	11	2	2	-	-	26	94
	3	16	15	11	3	1	-	46	165
	4	5	9	2	-	-	-	16	90
	5	6	1	1	1	-	-	9	24
	6	-	-	-	-	-	-	-	2
	7	-	-	-	-	-	-	-	-
	TOTAL----	38	36	16	6	1	-	97	375
12 & 22	1-2	15,842	7,039	2,784	711	222	68	26,666	141,423
	3	13,766	6,086	3,558	940	255	75	24,680	118,713
	4	3,123	1,296	621	307	61	4	5,412	22,999
	5	223	113	34	16	5	-	391	2,498
	6	14	10	2	-	-	-	26	201
	7	-	-	1	-	-	-	1	6
	TOTAL----	32,968	14,544	7,000	1,974	543	147	57,176	285,840
32	1-2	13,392	2,955	1,193	276	67	27	17,910	112,872
	3	45,293	13,025	4,171	953	199	41	63,682	353,235
	4	15,559	5,892	1,609	368	61	7	23,496	123,248
	5	1,575	609	219	38	8	5	2,454	15,633
	6	161	101	25	2	2	1	292	1,452
	7	23	22	5	-	-	-	50	133
	TOTAL----	76,003	22,604	7,222	1,637	337	81	107,884	606,573
42	1-2	14,575	2,398	321	49	21	11	17,375	107,703
	3	115,218	27,303	3,027	283	56	45	145,932	716,627
	4	68,573	21,626	2,923	199	19	6	93,346	449,134
	5	7,160	2,628	435	57	7	3	10,290	81,964
	6	720	252	73	14	3	7	1,069	8,493
	7	52	46	23	7	1	2	131	492
	TOTAL----	206,298	54,253	6,802	609	107	74	268,143	1,364,413
52	1-2	1,880	304	28	4	-	2	2,218	17,195
	3	20,519	4,476	426	29	7	2	25,459	130,058
	4	18,381	5,225	674	22	1	1	24,304	95,507
	5	3,600	1,381	204	8	-	-	5,193	24,321
	6	414	148	34	2	-	-	598	4,781
	7	32	8	8	3	-	-	51	476
	TOTAL----	44,826	11,542	1,374	68	8	5	57,823	272,338

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	716	186	27	-	1	-	930	2,478
	3	830	339	100	4	3	-	1,276	3,910
	4	290	80	31	1	1	-	403	2,203
	5	127	32	18	2	-	-	179	764
	6	51	20	6	1	-	-	78	198
	7	7	-	-	-	-	-	7	30
TOTAL----		2,021	657	182	8	5	-	2,873	9,583
13 & 23	1-2	487	354	196	43	3	8	1,091	5,975
	3	602	359	219	59	9	13	1,261	7,139
	4	178	56	21	10	2	1	268	1,674
	5	21	1	3	-	-	1	26	222
	6	2	1	-	-	-	-	3	20
	7	-	-	-	-	-	-	-	-
TOTAL----		1,290	771	439	112	14	23	2,649	15,030
33	1-2	679	567	312	35	2	14	1,609	5,707
	3	1,529	961	802	75	9	43	3,419	18,646
	4	725	342	164	53	9	13	1,306	7,079
	5	172	43	21	12	-	3	251	1,247
	6	26	8	5	-	-	13	52	162
	7	3	-	1	-	-	2	6	28
TOTAL----		3,134	1,921	1,305	175	20	88	6,643	32,869
43	1-2	339	120	32	2	3	8	504	5,677
	3	3,040	964	311	19	3	5	4,342	40,475
	4	1,738	751	172	16	2	3	2,682	25,042
	5	280	94	28	2	2	2	408	4,981
	6	55	14	8	-	1	7	85	593
	7	2	8	9	-	-	10	29	78
TOTAL----		5,454	1,951	560	39	11	35	8,050	76,846
53	1-2	137	28	3	-	-	-	168	3,324
	3	1,045	265	37	3	-	-	1,350	18,191
	4	772	257	32	3	1	-	1,065	10,450
	5	155	48	10	-	-	1	214	3,095
	6	16	10	3	-	-	-	29	741
	7	1	3	1	-	-	-	5	86
TOTAL----		2,126	611	86	6	1	1	2,831	35,887
63	1-2	39	22	1	-	-	-	62	663
	3	118	62	4	-	-	-	184	2,201
	4	48	38	2	-	-	-	88	981
	5	15	12	1	-	-	-	28	276
	6	11	2	-	-	-	-	13	67
	7	-	-	-	-	-	-	-	12
TOTAL----		231	136	8	-	-	-	375	4,200
24-54	1-7	841	529	347	51	15	1	1,784	6,095
25-35	1-7	-	-	-	-	-	-	-	15
81-85 1/	1-7	139	90	48	1	-	-	278	1,715
	8 2/	117	32	43	10	-	4	206	914
TOTAL, ALL----		3,512,534	1,949,227	951,792	164,546	26,895	3,346	6,608,340	15,733,025
EXTRANEEOUS MATTER		Average Staple -----							34.2
Bark - Level 1		Percent Tenderable -----							64.3
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

15,733,025 bales classed, includes 24,882 of Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.4	1.2	2.1	2.4	2.5	2.4	1.6	0.3	*	*	13.1
	3	*	*	*	0.1	0.2	0.5	1.0	1.3	1.4	1.4	1.3	0.3	*	*	7.6
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	-	*	*	*	-	-	-	*	-	*
TOTAL----		*	*	0.1	0.2	0.7	1.8	3.2	3.9	4.0	3.8	2.9	0.6	0.1	*	21.5
31	1-2	*	*	*	*	0.1	0.5	1.3	1.8	1.4	0.7	0.3	*	*	*	6.1
	3	*	*	*	0.1	0.3	1.1	3.3	5.6	5.3	2.8	1.2	0.2	*	*	20.0
	4	*	*	*	*	0.1	0.3	0.8	1.3	1.3	0.7	0.3	*	*	*	5.0
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	*	0.2	0.5	2.0	5.5	8.8	8.1	4.2	1.8	0.3	*	*	31.4
41	1-2	-	*	*	*	*	0.2	0.6	0.9	0.6	0.2	0.1	*	*	*	2.7
	3	*	*	*	*	0.2	0.9	2.8	5.1	4.5	2.0	0.6	0.1	*	*	16.1
	4	*	*	*	*	0.2	0.5	1.1	1.8	1.8	1.0	0.4	*	*	*	7.0
	5	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	0.1	0.5	1.9	4.8	8.1	7.1	3.3	1.1	0.1	*	*	27.1
51	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	*	*	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	*	1.5
	4	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	*	*	*	0.8
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	*	*	*	0.2	0.5	0.9	0.7	0.3	0.1	*	*	*	2.7
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	*	*	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
TOTAL----		*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	0.1	*	*	*	*	1.8
32	1-2	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	0.1	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	*	*	2.2
	4	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.8
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	0.1	0.3	0.4	0.7	0.8	0.8	0.5	0.1	*	*	*	*	3.9
42	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	*	0.1	0.3	0.7	1.1	1.3	0.7	0.2	*	*	*	*	4.6
	4	*	*	0.1	0.2	0.3	0.5	0.6	0.6	0.4	0.1	*	*	*	*	2.9
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	0.1	0.4	0.7	1.4	2.1	2.2	1.3	0.3	*	*	*	*	8.7
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		*	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	*	*	*	1.7

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	*	*
	7	-	-	*	*	*	*	*	*	*	-	*	-	-	*	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	-	*	*	*
	7	*	*	*	-	*	*	*	*	*	*	*	-	-	*	*
TOTAL----		*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
53	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	-	-	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL----		*	0.1	0.5	1.4	3.4	8.7	18.0	25.8	22.3	12.4	6.0	1.0	0.2	*	100.0
EXTRANEIOUS MATTER		Average Staple														34.2
		Percent Tenderable														64.3
Bark - Level 1	6.2															
Bark - Level 2	*															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

15,733,025 bales classed includes 24,882 of Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.4	1.4	2.7	2.7	1.1	0.3	*	*	-	-	8.8
	3	-	*	*	*	0.2	0.7	1.8	2.2	1.2	0.3	*	-	-	-	6.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.6	2.3	4.7	5.2	2.5	0.7	0.1	*	-	-	16.1
31	1-2	-	-	*	*	0.2	1.1	2.3	2.2	0.8	0.1	*	*	-	-	6.8
	3	-	-	*	*	0.5	2.9	7.9	9.2	4.5	1.0	0.1	*	-	-	26.2
	4	-	*	*	*	0.1	0.5	1.5	2.3	1.4	0.4	*	*	-	-	6.2
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.8	4.6	11.7	13.8	6.8	1.5	0.2	*	-	-	39.5
41	1-2	-	*	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	2.0
	3	-	-	*	*	0.3	1.9	5.5	6.5	3.5	0.7	*	-	-	-	18.4
	4	-	-	*	-	0.1	0.5	1.6	2.8	2.1	0.5	*	-	-	-	7.6
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.4	2.9	7.9	10.0	5.8	1.3	0.1	-	-	-	28.4
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.6	0.9	0.6	0.1	*	-	-	-	2.4
	4	-	-	-	-	*	0.1	0.3	0.5	0.3	0.1	*	-	-	*	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.0	1.5	0.9	0.2	*	-	-	-	4.0
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	0.9
32	1-2	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	3	-	*	*	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.2	0.7	1.1	1.0	0.4	0.1	*	*	-	-	3.4
42	1-2	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	*	-	-	*	0.2	0.8	1.2	1.1	0.4	0.1	*	-	-	-	3.7
	4	-	-	-	-	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	*	0.3	1.1	1.7	1.7	0.7	0.1	*	-	-	-	5.6
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	-	-	-	1.2

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
8 2/	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		*	*	*	0.1	2.5	12.4	29.0	33.9	17.6	4.0	0.4	*	-	-	100.0
EXTRANEIOUS MATTER		Average Staple														33.7
		Percent Tenderable														66.8
Bark - Level 1	2.3															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

521,562 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 4. — **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.9	4.8	13.8	14.3	6.2	0.6	*	*	40.7
	3	-	-	-	*	*	*	0.1	0.6	1.7	1.8	0.8	0.1	*	-	5.1
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	1.0	5.4	15.7	16.3	7.1	0.6	*	*	46.3
31	1-2	-	-	-	-	*	*	0.2	1.0	2.6	2.7	1.1	0.1	*	-	7.7
	3	-	-	-	-	*	*	0.3	1.2	2.6	2.9	1.2	0.1	*	-	8.3
	4	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.5	2.4	5.6	6.0	2.4	0.2	*	-	17.2
41	1-2	-	-	-	-	*	*	0.2	1.0	2.2	2.2	1.1	0.1	*	-	6.9
	3	-	-	-	-	*	0.1	0.7	2.9	5.7	5.4	2.6	0.2	*	*	17.6
	4	-	-	-	-	*	*	0.2	0.6	1.1	1.0	0.5	*	*	-	3.4
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.1	4.7	9.1	8.8	4.2	0.3	*	*	28.2
51	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.6	0.2	*	*	-	2.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.2	0.9	1.1	0.9	0.3	*	*	-	3.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.7	0.6	0.2	*	*	-	1.9
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.5	1.0	0.9	0.3	*	*	-	2.9
32	1-2	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	*	0.5	3.2	14.3	33.0	33.3	14.5	1.1	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.0														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														

571,167 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.4	1.3	1.2	0.4	*	*	-	-	3.5
	3	-	-	-	-	*	*	0.2	1.0	1.6	0.7	0.1	*	-	-	3.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.6	2.3	2.9	1.2	0.1	*	-	-	7.3
31	1-2	-	-	-	*	*	0.1	0.9	3.1	3.2	0.9	0.1	*	-	-	8.2
	3	-	-	-	*	*	0.2	1.9	8.5	12.2	4.4	0.3	*	-	-	27.5
	4	-	-	-	-	*	*	0.2	1.0	2.5	1.5	0.2	*	-	-	5.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	2.9	12.6	17.9	6.9	0.6	*	-	-	41.2
41	1-2	-	-	-	*	*	0.1	0.4	1.5	1.3	0.3	*	-	-	-	3.5
	3	-	-	-	*	*	0.3	1.9	7.7	9.4	2.8	0.2	*	-	-	22.2
	4	-	-	-	*	*	0.1	0.5	2.1	3.8	2.0	0.2	*	-	-	8.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.4	2.8	11.4	14.8	5.3	0.5	*	-	-	35.3
51	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	-	-	1.1
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.7	0.8	0.3	*	*	-	-	2.2
61	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.4	1.1	0.9	0.2	*	*	-	-	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.6	1.5	1.3	0.3	*	*	-	-	3.9
42	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.8	1.9	1.6	0.4	*	*	-	-	4.9
	4	-	-	-	-	*	*	0.3	0.7	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	1.2	2.9	2.7	0.7	0.1	*	-	-	7.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	1.2	8.9	32.4	41.1	14.9	1.3	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,405,081 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	0.1	0.8	2.7	6.0	9.7	8.4	2.0	0.4	*	30.1
	3	-	-	-	-	*	*	0.2	0.7	2.6	6.9	8.0	1.8	0.4	0.1	20.9
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	-	*	0.1	1.0	3.5	8.7	16.8	16.7	3.9	0.8	0.1	51.7
31	1-2	-	-	-	-	*	*	0.3	0.7	1.6	2.2	1.4	0.3	*	*	6.5
	3	-	-	-	-	*	*	0.2	0.9	3.3	7.6	7.1	1.4	0.2	*	20.8
	4	-	-	-	-	*	*	*	0.1	0.4	1.1	1.3	0.3	*	*	3.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	0.1	0.5	1.7	5.3	10.8	9.9	2.0	0.2	*	30.6
41	1-2	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.0
	3	-	-	-	-	*	*	0.1	0.6	2.0	3.9	2.5	0.4	*	*	9.6
	4	-	-	-	-	*	*	*	0.1	0.7	1.8	1.4	0.2	*	*	4.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.2	0.9	3.0	6.0	4.1	0.6	0.1	*	15.0
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.3	0.2	*	*	*	*	0.7
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	*	-	*	0.3	1.8	6.4	17.6	34.4	31.4	6.7	1.1	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.7														
Other - Level 1		*														

2,026,142 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.1	1.3	0.2	*	-	-	-	2.8
	3	-	-	-	-	-	*	0.4	1.3	1.7	0.6	*	-	-	-	4.1
	4	-	-	-	-	-	*	-	*	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.6	2.4	3.1	0.9	0.1	-	-	-	7.0
31	1-2	-	-	-	-	*	0.1	0.9	2.8	1.9	0.3	*	-	-	-	6.0
	3	-	-	-	-	*	0.4	3.6	12.3	10.4	2.1	0.1	-	-	-	28.9
	4	-	-	-	-	*	-	0.2	0.8	1.0	0.4	0.1	-	-	-	2.5
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.5	4.6	15.9	13.3	2.8	0.2	-	-	-	37.3
41	1-2	-	-	-	*	*	*	0.3	0.6	0.5	0.1	*	-	-	-	1.5
	3	-	-	-	*	*	0.5	3.2	9.6	7.9	2.0	0.2	*	-	-	23.4
	4	-	-	-	-	*	0.1	0.7	2.2	2.7	1.0	0.1	-	-	-	6.8
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.7	4.1	12.5	11.1	3.1	0.3	*	-	-	31.9
51	1-2	-	-	-	-	-	*	-	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.7	2.5	2.0	0.6	*	-	-	-	5.9
	4	-	-	-	-	*	-	0.3	1.2	1.2	0.5	*	-	-	-	3.3
	5	-	-	-	-	-	*	*	*	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	1.0	3.8	3.4	1.1	0.1	-	-	-	9.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	-	1.7
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.2
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.5	1.1	1.8	1.1	0.4	*	*	-	-	5.0
	4	-	-	-	-	*	0.2	0.6	1.0	0.7	0.3	*	-	-	-	2.8
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.7	1.8	2.9	1.8	0.7	0.1	*	-	-	8.1
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.4	0.3	0.1	-	-	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	-	-	-	1.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	0.9	0.8	0.2	*	-	-	-	2.2

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	*	-	*	*	*	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2	
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6		
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.3		
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	-	-	-	-	1.0	
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 2/	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	*	0.2	2.4	13.3	39.9	34.3	9.1	0.9	*	-	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.4	
																Percent Tenderable	57.3	
Bark - Level 1		3.1																
Bark - Level 2		"																
Grass - Level 1		1.0																
Grass - Level 2		*																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

91,672 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- *Georgia*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.5	0.1	*	-	-	2.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.4	1.2	1.6	0.7	0.1	*	-	-	4.0
31	1-2	-	-	-	*	*	0.1	0.5	1.1	0.8	0.2	*	*	-	-	2.8
	3	-	-	-	*	0.1	0.7	3.1	7.4	7.6	2.9	0.5	*	*	-	22.4
	4	-	-	-	*	*	*	0.2	0.5	0.8	0.4	0.1	*	-	-	2.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.9	3.8	9.0	9.3	3.6	0.6	*	*	-	27.3
41	1-2	-	-	-	*	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.7
	3	-	-	*	*	0.2	1.5	6.0	11.9	10.2	3.7	0.6	*	-	-	34.1
	4	-	-	-	*	*	0.2	1.0	2.5	2.8	1.3	0.3	*	-	-	8.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	*	*	0.2	1.9	7.5	15.1	13.4	5.2	0.9	*	-	-	44.4
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.2	2.1	1.7	0.7	0.1	*	-	-	6.2
	4	-	-	-	*	*	0.1	0.4	0.9	0.9	0.4	0.1	*	-	-	2.8
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.5	1.8	3.1	2.7	1.1	0.2	*	-	-	9.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
71	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	-	1.0
42	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	*	*	0.2	0.9	1.9	2.0	0.9	0.2	*	*	-	-	6.1
	4	-	-	-	*	*	0.2	0.6	0.8	0.4	0.1	*	-	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.3	1.2	2.6	2.9	1.4	0.3	*	*	-	-	8.7
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.2
	3	-	-	*	*	0.1	0.5	0.9	0.6	0.2	*	*	*	-	-	2.4
	4	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.8	1.5	1.1	0.5	0.1	*	*	-	-	4.1

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
63	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	*	0.1	0.9	5.7	18.1	33.1	29.2	11.0	1.9	*	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.5															Average Staple 34.2
Bark - Level 2	"															Percent Tenderable 71.6
Grass - Level 1	1.9															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	"															
Other - Level 1	*															
Other - Level 1	*															

1,541,811 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.0	3.0	4.3	3.1	1.0	0.1	*	*	*	-	12.5
	3	-	-	-	*	0.1	0.5	0.8	0.8	0.4	0.1	*	*	*	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	1.1	3.4	5.1	4.0	1.5	0.2	0.1	*	*	-	15.4
31	1-2	-	-	-	*	0.2	1.5	3.6	4.3	2.1	0.4	*	*	*	-	12.2
	3	-	-	-	*	0.1	0.6	2.1	3.8	3.2	1.1	0.2	*	*	-	11.1
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.4	2.1	5.8	8.4	5.8	1.7	0.3	*	*	-	24.5
41	1-2	-	-	-	*	0.1	1.1	3.0	3.9	2.0	0.4	*	*	*	-	10.4
	3	-	-	-	*	0.1	1.1	4.4	8.5	6.4	2.0	0.3	*	-	-	22.8
	4	-	-	-	-	*	0.1	0.5	1.5	1.8	0.9	0.2	*	*	-	5.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	*	0.2	2.3	7.9	13.9	10.2	3.3	0.5	0.1	*	-	38.4
51	1-2	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.9	1.5	1.0	0.3	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	1.8
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	0.6	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	*	-	-	1.5
	3	-	-	-	-	0.1	0.5	1.3	1.9	1.2	0.3	*	-	-	-	5.1
	4	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.8	2.1	3.2	2.1	0.5	*	*	-	-	8.8
52	1-2	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3

* Less than 0.05 percent.

Table 9. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE													
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	*	*	-	*	*	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-
8 2/	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	2.1	10.1	24.2	34.0	22.1	6.3	1.0	0.1	*	100.0
EXTRANEEOUS MATTER		Average Staple													
		Percent Tenderable													
Bark - Level 1	0.3														
Bark - Level 2	*														
Grass - Level 1	0.3														
Grass - Level 2	*														
Prep - Level 1	*														
Prep - Level 2	*														
Other - Level 1	*														
Other - Level 1	-														

922,961 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. — *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.3	1.1	1.4	1.1	0.5	0.1	*	*	-	-	4.5
	3	-	-	-	*	0.1	0.4	0.6	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	1.5	2.1	1.9	0.9	0.3	*	*	-	*	7.1
31	1-2	-	-	-	*	0.1	0.7	2.0	2.7	1.4	0.3	*	*	-	-	7.3
	3	-	-	-	*	0.1	0.7	2.7	4.7	3.5	1.0	0.1	*	-	-	12.9
	4	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	*	0.2	1.6	5.0	8.1	5.6	1.6	0.2	*	-	-	22.3
41	1-2	-	-	-	*	0.1	0.6	1.7	2.1	0.9	0.1	*	-	-	-	5.6
	3	-	-	-	*	0.1	1.1	4.8	9.0	6.1	1.6	0.1	*	-	-	22.8
	4	-	-	-	*	*	0.2	0.9	2.4	2.6	1.0	0.1	*	-	-	7.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	0.3	2.0	7.4	13.6	9.7	2.8	0.3	*	-	-	36.0
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.7	0.5	0.1	*	*	-	-	1.8
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.7	1.2	0.9	0.2	*	*	-	-	3.2
61	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.4	0.6	0.6	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.5	0.3	*	*	-	-	-	1.6
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.6	1.3	1.7	1.1	0.3	*	*	-	-	5.1
42	1-2	-	-	-	*	0.1	0.4	0.8	0.8	0.4	*	*	-	-	-	2.5
	3	-	-	-	*	0.2	1.0	2.7	4.0	2.5	0.6	*	*	-	-	11.0
	4	-	-	-	*	*	0.2	0.9	1.8	1.6	0.6	0.1	*	-	-	5.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.3	1.6	4.4	6.7	4.6	1.4	0.1	*	-	-	19.2
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.5	0.8	0.4	0.1	*	-	-	-	2.0
	4	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	-	-	-	1.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	1.0	1.5	1.0	0.3	*	*	-	-	4.2

* Less than 0.05 percent.

Table 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	1.6	8.3	22.7	35.7	24.2	6.8	0.7	*	-	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.4															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,675,294 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.5	0.5	*	*	-	-	3.0
	3	-	-	-	-	*	*	0.1	0.8	1.9	0.8	0.1	*	-	-	3.7
	4	-	-	-	-	*	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	1.7	3.6	1.4	0.1	*	-	-	6.9
31	1-2	-	-	-	-	*	*	0.6	3.2	4.2	1.3	0.1	*	-	-	9.4
	3	-	-	-	-	*	*	1.0	7.2	13.7	5.5	0.5	*	-	-	28.0
	4	-	-	-	-	*	*	0.1	0.8	2.0	1.0	0.1	*	-	-	4.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.7	11.3	19.9	7.9	0.7	*	-	-	41.5
41	1-2	-	-	-	-	*	*	0.4	1.5	1.7	0.5	*	*	-	-	4.2
	3	-	-	-	-	*	0.1	1.3	7.3	11.0	4.0	0.4	*	-	-	24.0
	4	-	-	-	-	*	*	0.3	1.7	2.9	1.2	0.1	*	-	-	6.2
	5	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	2.0	10.5	15.7	5.7	0.6	*	-	-	34.7
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	0.7	0.7	0.2	*	-	-	-	-	1.7
61	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.2	*	*	-	-	-	-	0.4
32	1-2	-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	-	-	0.8
	3	-	-	-	-	*	*	0.2	1.0	1.0	0.3	*	-	-	-	2.5
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.6	1.5	0.4	*	-	-	-	3.9
42	1-2	-	-	-	-	*	*	0.2	0.5	0.3	*	*	-	-	-	1.0
	3	-	-	-	-	*	*	0.6	2.7	2.3	0.4	*	-	-	-	6.1
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.2	*	-	-	-	2.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	3.9	3.5	0.7	*	-	-	-	9.2
52	1-2	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.3	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	-	*	0.3	5.6	30.5	45.7	16.4	1.5	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															Average Staple 34.8
Bark - Level 2	-															Percent Tenderable 82.5
Grass - Level 1	0.8															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

501,878 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.7	1.5	5.1	10.1	12.9	4.2	0.9	*	35.5
	3	-	-	-	-	*	0.1	0.6	0.4	0.8	2.1	4.3	2.8	0.9	*	12.0
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	1.0	1.1	0.4	*	3.0
	5	-	-	-	-	-	*	*	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	1.3	2.1	6.0	12.4	18.4	8.1	2.3	0.1	50.9
31	1-2	-	-	-	-	*	0.2	0.5	0.6	1.5	3.0	2.8	0.7	0.1	*	9.5
	3	-	-	-	-	*	0.1	0.4	0.6	1.4	1.5	2.2	1.3	0.4	*	8.0
	4	-	-	-	-	*	0.1	0.2	0.2	0.3	0.6	2.4	2.6	1.0	0.1	7.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.6	0.8	0.3	*	1.9
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL----	-	-	-	-	0.1	0.5	1.1	1.5	3.2	5.2	8.0	5.5	1.8	0.1	26.9
41	1-2	-	-	-	-	*	*	*	0.1	0.5	0.6	0.3	*	*	-	1.6
	3	-	-	-	-	*	0.1	0.2	0.4	1.2	0.9	0.6	0.1	*	-	3.6
	4	-	-	-	-	*	0.1	0.2	0.3	0.7	0.9	2.4	1.3	0.3	*	6.3
	5	-	-	-	-	-	*	0.1	*	0.1	0.4	2.0	1.6	0.4	*	4.8
	6	-	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	TOTAL----	-	-	-	-	*	0.2	0.5	0.9	2.6	3.0	5.7	3.4	0.9	*	17.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.3	*	*	-	0.5
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	4	-	-	-	-	-	-	-	*	*	*	0.3	0.1	*	*	0.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.3	1.0	0.3	0.1	*	1.9
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.1
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 12. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.4
43	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	-	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
TOTAL, ALL-----		-	-	-	-	0.1	0.9	3.0	4.6	12.3	21.5	34.3	17.9	5.2	0.3	100.0
EXTRANEEOUS MATTER		Average Staple														36.5
		Percent Tenderable														82.0
Bark - Level 1	2.6															
Bark - Level 2	-															
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

55,609 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	3	-	-	-	*	*	0.6	1.6	1.9	1.2	0.3	*	*	-	-	5.7
	4	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.7	2.0	2.4	1.5	0.4	*	*	-	-	7.1
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
	3	-	-	-	*	0.2	2.6	9.8	14.7	12.2	4.2	0.5	*	-	-	44.2
	4	-	-	-	*	*	1.0	4.3	7.2	6.0	2.2	0.3	*	-	-	21.0
	5	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.7
	6	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	0.2	3.8	14.8	22.9	18.8	6.7	0.8	*	-	-	68.1
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.4	1.7	2.9	2.8	1.2	0.2	*	-	-	9.1
	4	-	-	-	*	*	0.5	1.9	3.4	3.1	1.4	0.3	*	-	-	10.7
	5	-	-	-	*	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.0
	6	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	0.1	1.0	4.2	7.2	6.5	2.8	0.5	*	-	-	22.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	-	-	0.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.3	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.4	5.8	21.6	33.3	27.4	10.1	1.4	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.4															
Bark - Level 2	*															
Grass - Level 1	3.5															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

1,304,882 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE															
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.	
11 & 21	1-2	-	*	0.2	0.4	0.5	1.0	3.1	7.9	12.9	15.6	8.5	0.4	*	*	-	50.6
	3	-	*	0.2	0.4	0.6	0.5	0.6	0.8	1.5	1.4	0.5	*	*	-	6.6	
	4	-	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	*	-	-	1.0	
	5	-	*	*	*	*	*	*	*	-	-	-	-	-	-	0.1	
	6	-	-	*	-	*	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	0.1	0.4	1.0	1.4	1.7	3.8	8.8	14.5	17.0	9.1	0.5	*	*	-	58.2
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.3	*	*	-	1.5	
	3	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6	
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	*	*	0.1	0.1	0.1	0.2	0.3	0.5	0.7	0.4	*	*	-	2.4	
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	3	-	*	*	*	*	0.1	0.2	0.1	*	*	-	*	-	-	0.4	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	TOTAL----	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.6	
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4	
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.3	*	*	-	-	1.4	
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	*	*	*	0.1	0.4	0.6	0.5	0.4	0.1	*	-	-	2.1	
61	1-2	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	-	-	0.6	
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	*	*	*	*	0.1	0.3	0.3	0.1	0.1	*	-	-	1.0	
71	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
12 & 22	1-2	-	*	0.1	0.2	0.3	0.3	0.5	1.0	0.9	0.5	0.2	*	-	-	4.1	
	3	-	*	0.1	0.3	0.3	0.2	0.2	0.4	0.5	0.2	0.1	*	-	-	2.5	
	4	-	*	*	0.1	0.1	0.1	*	*	0.1	*	*	-	-	-	0.6	
	5	-	-	*	*	*	*	-	*	*	*	*	-	-	-	0.1	
	6	-	-	*	*	*	*	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	0.1	0.3	0.6	0.8	0.6	0.8	1.5	1.5	0.8	0.3	*	-	-	7.3	
32	1-2	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	-	-	0.6	
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.7	
	4	-	*	*	*	*	*	*	*	0.1	*	*	*	-	-	0.4	
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2	
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*	
	TOTAL----	-	*	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	*	-	-	1.9	
42	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4	
	3	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	*	*	-	-	1.4	
	4	*	*	*	*	0.1	0.1	0.1	*	*	-	*	-	-	-	0.3	
	5	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1	
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	TOTAL----	*	*	0.1	0.3	0.4	0.6	0.5	0.2	*	*	*	*	-	-	2.2	
52	1-2	-	*	*	*	0.1	0.3	0.7	0.5	0.1	*	*	-	-	-	1.8	
	3	*	*	0.1	0.2	0.4	0.8	1.5	1.1	0.3	0.1	*	*	-	-	4.7	
	4	*	*	0.1	0.2	0.3	0.3	0.4	0.3	0.1	*	-	-	-	-	1.7	
	5	*	*	*	*	*	0.1	*	*	*	-	-	-	-	-	0.2	
	6	-	*	*	-	*	*	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	TOTAL----	*	0.1	0.2	0.5	0.9	1.5	2.7	1.9	0.5	0.1	*	*	-	-	8.5	

* Less than 0.05 percent.

Table 14. -- **Oklahoma** : Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	0.1	0.3	0.5	0.5	0.1	*	-	-	-	1.6
	3	-	*	*	*	0.1	0.2	0.2	0.4	0.4	0.2	0.1	*	-	-	1.6
	4	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	0.1	0.2	0.4	0.6	1.0	0.9	0.3	0.1	*	-	-	3.6
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.5
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.1	*	0.1	0.1	0.2	0.1	0.1	*	-	-	0.8
33	1-2	-	*	*	*	*	*	*	0.2	0.2	0.2	0.1	*	-	-	0.7
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	*	*	0.1	0.1	*	0.1	0.3	0.3	0.3	0.2	*	-	-	1.5
43	1-2	*	*	*	0.1	0.1	*	*	*	*	*	*	*	-	-	0.4
	3	*	0.1	0.1	0.3	0.2	0.1	*	*	*	*	*	-	-	-	1.0
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	*	*	-	-	1.6
53	1-2	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	-	-	-	0.9
	3	*	0.2	0.3	0.5	0.5	0.4	0.3	0.2	*	*	-	*	-	-	2.5
	4	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	-	-	-	0.9
	5	*	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	*	*	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.3	0.6	0.9	0.9	0.7	0.6	0.2	0.1	*	*	*	-	-	4.4
63	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	3	*	*	0.2	0.2	0.2	0.3	0.2	0.1	*	*	*	-	-	-	1.1
	4	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	-	*	*	*	-	-	-	0.1
	6	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	*	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.1	0.2	0.3	0.3	0.4	0.3	0.2	0.1	0.1	*	-	-	-	2.0
24-54	1-7	-	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	1.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.6
	8 2/	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL----		0.1	0.9	2.3	4.7	5.9	7.0	10.8	16.1	20.3	20.7	10.7	0.6	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	20.8															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

141,209 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	0.8	1.2	0.9	0.3	*	*	-	-	3.6
	3	-	-	-	*	*	0.4	1.7	3.4	2.7	1.1	0.2	*	-	-	9.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.7	2.6	4.8	3.8	1.5	0.2	*	-	-	13.6
31	1-2	-	-	-	*	0.1	0.5	1.2	1.2	0.6	0.1	*	-	-	-	3.7
	3	-	-	-	*	0.3	3.0	10.4	14.2	9.0	2.8	0.3	*	-	-	40.1
	4	-	-	-	*	*	0.3	1.6	3.0	2.5	1.0	0.2	*	-	-	8.6
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	3.8	13.3	18.6	12.3	4.0	0.6	*	-	-	53.0
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	*	0.2	2.0	5.3	5.5	3.1	0.9	0.1	*	-	-	17.1
	4	-	-	-	*	*	0.5	1.9	2.7	2.0	0.7	0.1	*	-	-	8.0
	5	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	6	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	0.3	2.7	7.6	8.7	5.5	1.7	0.2	*	-	-	26.6
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.3	0.2	*	*	-	-	-	1.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	*	-	-	1.4
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.5	0.8	0.5	0.2	*	*	*	-	-	2.1
	4	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.7	1.3	0.9	0.4	0.1	*	*	-	-	3.6
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3

* Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.9	8.4	25.8	33.9	22.5	7.4	1.0	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.0															
Bark - Level 2	*															
Grass - Level 1	2.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

351,660 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.4	4.1	3.5	1.0	0.1	*	*	-	-	10.4
	3	-	-	-	-	0.1	0.7	2.5	3.1	1.3	0.2	*	*	-	-	7.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.3	2.2	6.6	6.8	2.3	0.3	*	*	-	-	18.5
31	1-2	-	-	-	-	0.3	2.3	4.8	3.6	1.1	0.1	*	-	-	-	12.3
	3	-	-	-	-	0.4	3.5	11.4	13.3	5.2	0.7	*	*	-	-	34.4
	4	-	-	-	-	*	0.3	1.0	1.8	1.0	0.2	*	*	-	-	4.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.7	6.0	17.2	18.8	7.4	1.0	*	*	-	-	51.1
41	1-2	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	0.2	1.4	4.5	5.6	2.2	0.3	*	*	-	-	14.1
	4	-	-	-	-	0.1	0.4	1.1	1.5	0.8	0.1	*	-	-	-	4.0
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.3	2.2	6.4	7.8	3.2	0.5	*	*	-	-	20.4
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.2	0.2	0.2	*	*	*	-	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.1	0.4	0.4	0.3	0.1	*	*	-	-	-	1.3
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.6	1.3	1.1	0.4	0.1	*	*	-	-	3.5
42	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.6	1.3	1.1	0.4	*	*	-	-	-	3.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 16. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	3	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL, ALL-----		-	-	-	-	1.7	12.2	33.8	36.3	13.9	2.0	0.1	*	-	-	-	100.0
EXTRANEEOUS MATTER																Average Staple	33.5
																Percent Tenderable	76.7
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

691,257 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.4	1.4	3.1	4.7	4.5	2.7	1.3	0.6	*	*	*	18.8
	3	*	*	0.1	0.3	0.8	1.4	1.9	1.8	1.2	0.7	0.6	*	*	*	9.0
	4	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	0.1	*	*	-	1.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	-	*	*	*	-	-	-	-	-	*
	TOTAL----	*	*	0.2	0.8	2.4	4.9	7.0	6.6	4.2	2.1	1.3	0.1	*	*	29.8
31	1-2	*	*	*	0.1	0.3	0.7	1.3	1.3	0.7	0.2	0.1	*	*	-	4.7
	3	*	*	0.1	0.3	0.8	1.5	2.1	1.6	0.8	0.4	0.3	*	*	*	8.0
	4	*	*	0.1	0.2	0.4	0.6	0.7	0.5	0.3	0.2	0.1	*	*	*	3.2
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----	*	*	0.2	0.7	1.6	3.1	4.2	3.5	1.9	0.9	0.6	0.1	*	*	16.6
41	1-2	-	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	-	1.3
	3	*	*	*	0.2	0.6	1.3	2.1	1.9	0.9	0.3	0.1	*	*	*	7.4
	4	*	*	*	0.2	0.7	1.5	2.1	1.6	0.7	0.3	0.2	*	*	*	7.5
	5	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	0.1	*	*	*	*	3.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.1	0.5	1.7	3.9	5.5	4.6	2.0	0.8	0.4	*	*	*	19.7
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.6
	4	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.1	0.6
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.1	0.2	0.4	0.5	0.3	0.2	0.1	*	*	-	1.8
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
	4	-	*	*	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	*	*	*	0.1	0.3	0.5	0.6	0.4	0.1	*	*	*	-	-	2.2
	3	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	*	*	-	1.8
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	*	*	0.1	0.3	0.7	1.0	1.1	0.8	0.3	0.1	*	*	*	-	4.4
32	1-2	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	-	*	-	1.1
	3	*	0.1	0.3	0.6	0.9	1.1	1.0	0.5	0.1	*	*	*	*	-	4.7
	4	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	*	-	2.1
	5	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	0.1	0.5	1.1	1.6	2.0	1.7	0.9	0.3	0.1	*	*	*	-	8.3
42	1-2	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	3	*	*	0.2	0.6	1.1	1.6	1.6	0.9	0.2	*	*	*	*	-	6.2
	4	*	*	0.2	0.6	1.2	1.7	1.6	0.8	0.2	*	*	*	*	-	6.4
	5	*	*	0.1	0.2	0.3	0.5	0.5	0.2	0.1	*	*	*	*	-	1.8
	6	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	7	*	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	0.1	0.5	1.4	2.7	4.0	3.9	2.0	0.5	0.1	*	*	*	*	15.2
52	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.5
	4	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	-	0.6
	5	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	-	-	1.6

* Less than 0.05 percent.

Table 17. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY		LEAF	STAPLE														TOTAL		
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2		-	-	-	*	*	*	*	*	*	-	-	-	-	*			
	3		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	4		-	*	*	*	*	*	*	*	*	*	*	*	*	*			
	5		-	-	*	*	*	*	*	*	*	*	*	*	*	*			
	6		-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	7		-	-	-	-	-	*	*	*	*	*	*	*	*	*			
TOTAL----			*	*	*	*	*	*	*	*	*	*	*	*	*	*			
13 & 23	1-2		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	3		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	4		-	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	5		-	-	*	*	*	*	*	*	*	*	*	*	*	*			
	6		-	-	*	*	*	*	*	*	*	*	*	*	*	*			
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL----			*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3			
33	1-2		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	3		*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.3			
	4		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	5		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	6		-	-	*	*	*	*	*	*	*	*	*	*	*	*			
	7		-	-	*	*	*	*	*	-	-	-	-	-	-	*			
TOTAL----			*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5			
43	1-2		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	3		*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	*	*	0.6			
	4		*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	0.5			
	5		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	6		-	*	*	*	*	*	*	*	*	*	*	*	*	*			
	7		*	*	*	-	*	*	*	-	*	-	-	-	-	*			
TOTAL----			*	*	0.1	0.3	0.3	0.3	0.1	0.1	*	*	*	*	*	1.3			
53	1-2		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	3		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	4		*	*	*	*	*	*	*	*	*	*	*	*	*	0.1			
	5		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	6		*	*	*	*	*	*	*	*	*	*	*	*	*	*			
	7		-	*	*	*	*	*	*	*	-	-	-	-	-	*			
TOTAL----			*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.3			
63	1-2		-	-	-	*	*	*	*	-	*	-	-	-	-	*			
	3		-	*	*	*	*	*	*	*	-	-	-	-	-	*			
	4		-	*	*	*	*	*	*	*	*	-	-	-	-	*			
	5		-	-	*	*	*	*	*	*	*	-	-	-	-	*			
	6		-	-	*	*	*	*	*	*	*	-	-	-	-	*			
	7		-	-	-	-	*	-	-	-	-	-	-	-	-	*			
TOTAL----			-	*	*	*	*	*	*	*	*	*	*	*	*	*			
24-54	1-7		-	*	*	*	*	*	*	*	*	*	*	*	*	*			
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7		-	*	*	*	*	*	*	*	-	-	-	-	-	*			
	8 2/		-	*	*	*	*	*	*	*	*	*	*	*	*	*			
TOTAL, ALL-----			*	0.4	2.0	5.4	11.4	19.9	24.6	19.5	9.7	4.2	2.4	0.2	*	100.0			
EXTRANEEOUS MATTER																	Average Staple	32.9	
Bark - Level 1			21.1															Percent Tenderable	35.4
Bark - Level 2			*																
Grass - Level 1			0.4																
Grass - Level 2			*																
Prep - Level 1			0.2																
Prep - Level 2			*																
Other - Level 1			*																
Other - Level 1			*																

3,761,253 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.2
	3	-	-	-	*	-	0.2	1.1	1.4	1.2	0.7	0.1	-	-	-	4.8
	4	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	-	1.5
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.5	2.1	1.7	0.9	0.1	-	-	-	6.5
31	1-2	-	-	-	-	*	-	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	*	*	1.1	5.9	10.1	12.1	8.6	1.8	*	-	-	39.7
	4	-	-	-	*	*	0.7	4.6	9.1	9.6	5.0	1.0	*	-	-	30.1
	5	-	-	-	*	*	0.1	0.7	1.3	1.1	0.4	*	-	-	-	3.6
	6	-	-	-	-	*	*	-	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	2.0	11.3	20.7	23.1	14.2	2.8	*	-	-	74.1
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.5	1.1	1.5	1.1	0.2	*	-	-	4.6
	4	-	-	-	-	*	0.2	1.2	2.6	3.3	1.8	0.4	*	-	-	9.5
	5	-	-	-	-	*	0.1	0.6	1.1	1.0	0.4	*	-	-	-	3.2
	6	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	7	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.4	2.4	5.1	6.1	3.4	0.6	*	-	-	18.0
51	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	-	*	0.1	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through January 4, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.1	2.8	15.4	28.2	31.3	18.7	3.6	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.5														Average Staple 34.6
Bark - Level 2		*														Percent Tenderable 73.4
Grass - Level 1		4.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

144,705 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 4, 2001

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE									
24 & below	*	*	-	*	-	-	-	-	*
25	*	*	-	*	*	*	-	*	*
26	*	*	*	*	*	*	-	*	*
27	*	*	*	*	*	*	-	*	-
28	0.1	*	*	*	*	*	*	*	*
29	0.1	*	*	*	*	*	*	*	*
30	0.3	0.1	*	0.1	*	*	*	0.1	*
31	0.4	0.1	0.1	0.1	*	*	*	0.1	0.1
32	0.8	0.1	0.1	0.1	0.1	0.1	*	0.2	0.1
33	1.5	0.1	0.2	0.2	0.1	0.1	0.1	0.4	0.2
34	1.8	0.1	0.3	0.3	0.2	0.2	0.1	0.5	0.3
35	3.1	0.3	0.5	0.4	0.4	0.3	0.3	0.9	0.8
36	3.3	0.4	0.9	0.7	0.3	0.5	0.5	1.2	1.4
37	4.3	0.5	1.3	1.2	0.5	0.8	0.6	1.8	2.1
38	5.4	0.7	1.9	2.0	0.8	1.3	1.0	2.5	3.1
39	5.0	0.9	2.7	3.6	1.2	2.0	1.2	3.4	4.6
40	5.9	1.4	3.8	5.8	1.9	3.0	2.0	4.4	6.4
41	6.1	2.0	5.1	8.3	2.9	4.2	2.9	5.4	8.2
42	6.3	2.9	6.4	11.2	3.9	5.7	3.9	6.6	9.6
43	7.4	4.0	7.8	13.4	5.1	7.5	5.7	7.7	10.6
44	7.3	5.3	9.1	12.9	5.5	9.6	7.1	8.7	10.7
45	7.1	6.6	10.1	10.4	6.4	11.3	8.4	9.1	10.4
46	7.3	7.9	10.9	7.9	7.8	12.3	10.2	9.2	9.2
47	6.5	8.8	10.7	5.9	9.2	12.3	11.3	9.0	7.4
48	6.3	10.0	9.7	4.5	12.0	10.9	12.6	8.4	5.8
49	4.9	10.4	7.7	3.5	11.9	8.1	11.1	7.0	3.9
50	3.6	9.9	5.2	2.6	10.5	5.1	8.5	5.4	2.5
51	2.6	9.2	3.3	1.8	9.4	2.8	6.1	3.8	1.4
52	1.5	7.6	1.6	1.2	6.0	1.3	3.7	2.3	0.8
53	0.7	5.4	0.5	0.8	2.7	0.5	1.9	1.2	0.2
54	0.4	3.3	0.2	0.4	1.0	0.2	0.5	0.5	0.1
55	*	1.4	*	0.2	*	*	*	0.2	*
56	*	0.6	*	0.1	*	*	-	*	*
57	*	0.2	*	*	*	*	-	*	-
58	*	*	*	*	*	*	-	*	-
59	*	*	-	*	*	-	-	-	-
60 & above	*	*	-	*	*	-	-	-	-
Average mike	42.9	47.9	45.1	43.9	47.2	45.4	46.6	44.9	43.7
FIBER STRENGTH 1/									
17 & below	*	-	-	-	-	*	-	-	-
18	*	*	-	-	-	*	-	-	-
19	*	*	-	*	-	*	-	*	-
20	*	*	*	*	*	*	-	*	-
21	*	0.1	*	*	-	*	-	*	-
22	0.1	0.3	*	*	*	0.2	*	0.2	*
23	0.4	0.9	0.3	*	0.2	1.7	0.5	0.9	0.1
24	2.4	3.3	1.5	0.2	1.3	5.6	3.2	3.6	1.1
25	11.8	8.4	6.7	0.8	6.6	10.6	10.7	12.0	6.2
26	25.3	13.8	18.6	2.2	17.4	15.2	22.8	26.2	19.6
27	26.9	17.9	31.3	3.7	26.3	18.1	28.5	29.3	32.4
28	18.8	19.0	25.7	4.6	24.4	17.9	20.1	17.5	25.7
29	9.4	16.4	10.9	5.4	14.3	14.4	9.1	7.1	10.6
30	3.6	10.9	3.5	8.0	6.1	9.0	3.2	2.2	3.2
31	1.0	5.6	1.0	14.2	2.3	4.5	1.1	0.7	0.8
32	0.2	2.3	0.3	20.5	0.7	1.8	0.4	0.2	0.2
33	*	0.8	0.1	19.9	0.2	0.6	0.2	0.1	*
34	*	0.2	*	12.3	0.1	0.2	*	*	*
35	*	*	*	5.3	*	*	*	*	*
36 & above	*	*	*	2.9	-	*	*	*	-
Average strength	27.0	27.8	27.3	31.7	27.5	27.4	27.0	26.8	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 4, 2001

MIKE AND FIBER STRENGTH		NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	0.1	*	0.2	*	-	0.1	*	*
	25	*	*	0.1	*	*	0.2	0.1	*
	26	0.2	*	0.2	*	*	0.3	0.1	0.1
	27	0.2	0.1	0.3	0.1	*	0.5	0.4	0.2
	28	0.6	0.2	0.4	0.1	*	0.8	0.6	0.2
	29	0.7	0.2	0.6	0.2	0.1	1.0	0.8	0.3
	30	1.0	0.4	0.8	0.3	0.2	1.4	1.4	0.5
	31	1.0	0.7	1.0	0.3	0.3	1.9	2.1	0.6
	32	1.3	1.0	1.0	0.4	0.5	2.4	3.2	0.8
	33	2.1	1.7	1.3	0.6	1.0	3.2	4.5	1.2
	34	2.2	2.5	1.7	0.8	1.5	4.1	5.9	1.6
	35	3.7	3.7	2.1	1.4	2.6	5.0	7.6	2.1
	36	4.9	5.2	2.3	1.9	3.6	5.9	9.1	2.7
	37	5.8	6.9	3.0	2.7	4.8	6.7	10.0	3.4
	38	6.9	8.5	3.7	3.9	6.3	7.4	10.5	4.2
	39	7.9	10.0	4.4	5.3	7.5	7.9	10.3	5.0
	40	8.6	11.0	5.2	6.6	8.7	8.0	9.0	6.0
	41	8.1	11.1	6.3	7.9	9.6	7.7	7.4	6.8
	42	8.8	10.5	6.9	9.1	9.5	7.1	5.7	7.5
	43	7.9	8.9	7.3	10.0	9.3	6.3	4.6	8.1
	44	6.4	6.7	7.8	10.3	8.5	5.3	3.2	8.1
	45	5.5	4.6	7.8	9.9	7.2	4.4	1.8	7.7
	46	4.3	2.9	7.7	8.7	5.9	3.6	1.0	7.3
	47	3.4	1.7	7.1	7.3	4.5	2.8	0.5	6.6
	48	2.9	0.9	6.4	5.4	3.3	2.1	0.2	5.9
	49	2.3	0.4	5.7	3.3	2.3	1.6	*	4.7
	50	1.5	0.1	4.3	1.9	1.4	1.0	*	3.4
	51	0.9	*	2.5	1.0	0.9	0.6	*	2.3
	52	0.4	*	1.1	0.5	0.5	0.4	*	1.4
	53	0.1	*	0.4	0.1	0.2	0.2	-	0.7
	54	*	*	0.2	*	0.1	0.1	-	0.3
	55	*	*	*	*	*	*	-	0.1
	56	*	*	*	*	*	*	*	*
	57	*	-	*	*	-	*	-	*
	58	*	*	-	-	-	*	-	*
	59	-	*	*	*	-	*	-	*
	60 & above	-	-	-	-	-	-	-	*
Average mike		40.7	40.1	42.9	43.0	41.9	39.6	37.8	43.0
FIBER STRENGTH 1/									
17 & below	17 & below	-	-	*	-	-	*	-	*
	18	-	-	0.1	-	-	*	-	*
	19	-	-	0.2	-	-	*	-	*
	20	-	*	0.5	*	-	0.1	*	*
	21	*	0.2	0.9	0.1	*	0.3	0.1	0.1
	22	0.1	1.0	1.7	0.3	*	1.0	0.8	0.4
	23	0.4	4.5	2.9	1.5	0.3	2.5	3.9	1.5
	24	1.4	12.4	5.1	5.2	2.2	6.1	11.1	4.4
	25	2.4	20.9	8.1	13.0	8.5	12.4	20.6	10.2
	26	4.1	23.1	10.8	21.5	20.8	18.1	24.8	17.6
	27	7.8	17.5	12.3	23.0	31.2	19.3	19.9	20.9
	28	12.1	10.2	12.4	17.5	23.7	16.5	10.4	16.4
	29	14.3	5.6	11.2	10.2	9.7	11.2	4.8	9.7
	30	16.0	2.9	9.5	4.9	2.8	6.4	2.1	5.5
	31	16.7	1.2	8.0	2.0	0.7	3.4	0.9	3.9
	32	13.4	0.4	6.7	0.7	0.2	1.6	0.3	3.6
	33	7.4	0.1	5.0	0.2	*	0.7	0.1	2.9
	34	3.0	*	3.2	0.1	*	0.2	*	1.7
	35	0.7	*	1.2	*	*	*	*	0.7
	36 & above	0.2	*	0.2	*	-	*	*	0.4
Average strength		29.8	26.1	28.2	26.9	27.1	27.1	26.1	27.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through January 4, 2001

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	-	*	-	-	*	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	*	*	-
75	*	*	-	*	-	*	*	*	-
76	*	*	*	*	*	*	*	*	*
77	0.2	0.1	*	*	*	*	0.1	*	*
78	1.4	1.0	0.2	0.2	0.5	0.8	0.9	0.4	0.1
79	6.9	6.0	1.8	1.1	3.1	5.9	6.0	3.5	1.2
80	21.5	21.3	11.1	5.9	14.8	20.7	23.1	17.2	8.2
81	35.4	37.7	33.2	20.3	32.9	35.9	38.6	39.3	32.5
82	25.9	26.0	37.2	40.7	32.5	26.9	24.4	30.2	41.0
83	7.9	7.0	14.5	25.5	14.0	8.7	6.2	8.4	14.9
84	0.8	0.8	2.0	5.4	2.1	1.1	0.7	0.9	2.0
85	*	*	0.1	0.6	*	*	*	*	0.1
86	*	*	-	0.1	-	-	*	-	-
87	*	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	81.1	81.6	82.0	81.4	81.1	81.0	81.2	81.7
TRASH 2/									
00	0.1	0.1	*	*	*	*	0.9	*	*
01	9.3	30.6	2.4	20.2	4.4	0.9	15.2	5.8	2.5
02	22.9	36.1	19.8	37.8	18.7	12.8	25.8	24.1	19.7
03	25.1	19.0	30.8	23.9	26.5	26.7	23.1	28.7	32.3
04	18.9	8.1	23.2	11.3	22.4	25.5	15.6	20.1	24.6
05	11.4	3.2	12.7	4.4	14.1	16.8	9.0	11.1	12.6
06	6.1	1.3	6.0	1.6	7.2	8.8	4.9	5.3	5.1
07	3.2	0.6	2.7	0.6	3.5	4.3	2.5	2.5	1.9
08	1.6	0.3	1.2	0.1	1.7	2.1	1.4	1.2	0.7
09	0.6	0.2	0.6	0.1	0.8	1.0	0.8	0.6	0.3
10	0.3	0.1	0.3	*	0.3	0.5	0.4	0.3	0.1
11	0.2	0.1	0.2	*	0.2	0.3	0.3	0.2	0.1
12	0.1	0.1	0.1	*	0.1	0.1	0.2	0.1	*
13	0.1	*	*	*	*	*	*	*	*
14	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	-	*	*	*	*
18 & above	*	*	*	*	*	*	*	*	*
Average trash	0.35	0.23	0.37	0.25	0.38	0.41	0.32	0.35	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through January 4, 2001

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	*	-	*
73	-	-	*	-	-	*	-	*
74	-	-	*	-	-	*	-	*
75	*	-	0.1	-	-	0.1	-	*
76	*	*	0.8	*	*	0.5	-	0.1
77	0.2	*	2.7	*	*	2.1	*	0.6
78	1.4	0.8	6.2	0.9	1.6	7.0	0.6	2.2
79	4.5	6.1	11.7	6.5	7.5	16.2	4.6	7.2
80	14.3	21.7	20.2	22.9	23.0	26.0	17.6	18.8
81	27.9	37.1	27.4	34.1	38.4	27.9	34.3	32.2
82	29.4	26.5	21.6	24.7	23.7	15.7	30.4	27.3
83	17.7	7.0	8.0	9.1	5.4	4.1	11.0	10.0
84	4.1	0.7	1.2	1.6	0.4	0.5	1.4	1.5
85	0.4	*	0.1	0.1	*	*	0.1	0.1
86	*	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.5	81.1	80.6	81.1	80.9	80.3	81.3	81.1
TRASH 2/								
00	0.1	-	0.1	-	*	*	-	0.1
01	19.9	0.3	33.6	1.9	3.8	11.8	0.1	9.4
02	27.7	6.1	26.9	15.6	21.8	22.2	2.9	22.3
03	17.0	18.8	13.5	27.6	30.2	19.6	12.9	24.1
04	10.1	24.2	8.7	24.7	22.3	15.6	21.5	18.5
05	6.9	20.2	6.2	15.2	12.1	11.3	22.1	11.6
06	5.1	13.0	4.1	7.6	5.5	7.4	16.4	6.4
07	4.0	7.5	2.6	3.6	2.3	4.7	10.4	3.4
08	3.1	4.1	1.6	1.7	1.0	2.8	5.9	1.8
09	2.1	2.3	1.0	0.9	0.5	1.7	3.3	1.0
10	1.5	1.3	0.6	0.5	0.2	1.1	1.9	0.6
11	1.0	0.8	0.4	0.3	0.1	0.6	1.2	0.3
12	0.7	0.5	0.3	0.2	0.1	0.4	0.7	0.2
13	0.2	0.3	0.2	0.1	*	0.3	0.3	0.1
14	0.2	0.2	0.1	*	*	0.2	0.2	0.1
15	0.1	0.1	0.1	*	*	0.1	0.1	*
16	0.1	0.1	*	*	*	0.1	0.1	*
17	*	0.1	*	*	*	*	*	*
18 & above	0.1	0.1	0.1	*	*	0.1	0.1	*
Average trash	0.35	0.49	0.28	0.40	0.35	0.38	0.54	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of grade, staple, mike and strength of *American Pima* cotton, by state and U.S. for classings through January 4, 2001

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	19.1	16.1	0.9	2.9	14.9
02	60.0	68.6	51.0	48.9	66.7
03	17.2	12.8	41.6	40.8	15.4
04	3.3	2.1	6.4	6.7	2.6
05	0.1	0.3	0.2	0.6	0.3
06	0.2	*	-	0.1	*
07	0.1	*	-	*	*
Staple					
40 and shorter	-	-	-	*	*
42	0.1	*	-	0.8	0.1
44	37.4	18.0	20.8	36.8	19.9
46	53.2	70.0	53.5	58.0	68.6
48 and longer	9.3	11.9	25.7	4.4	11.5
Average staple	45.4	45.9	46.1	45.3	45.7
Mike					
24 and below	-	-	-	-	-
25-26	-	*	-	-	*
27-29	0.4	0.7	-	0.4	0.7
30-32	2.0	2.8	0.9	1.1	2.7
33-34	3.6	2.5	3.0	2.0	2.4
35-36	10.0	3.5	11.1	6.2	3.9
37-42	72.9	65.1	67.5	55.6	64.5
43-49	11.2	25.4	17.4	34.7	25.8
50-52	-	*	-	-	*
53 and above	-	-	-	-	-
Average mike	39	40	40	41	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	*	-	*	*
31	-	*	-	*	*
32	-	*	0.1	*	*
33	0.2	0.1	1.0	0.3	0.1
34	1.1	0.3	4.0	1.0	0.4
35	2.9	0.7	7.4	2.3	1.0
36	7.1	1.8	10.8	6.2	2.4
37	11.5	4.1	13.3	14.8	5.2
38	16.3	9.0	15.1	24.0	10.4
39	21.6	16.4	14.0	22.1	16.9
40	17.5	21.1	11.6	14.0	20.4
41	13.6	21.2	8.5	9.3	20.0
42	4.6	14.2	6.2	4.2	13.1
43	1.8	7.4	4.4	1.0	6.7
44	0.8	3.0	2.4	0.6	2.7
45 & above	0.4	0.1	-	0.2	0.1
Average strength	39.0	40.3	38.5	38.6	39.1
Extraneous matter					
Grass	0.9	0.9	2.2	0.8	0.9
Spindle Twist	0.1	0.1	0.2	*	0.1
Preparation	-	0.5	-	*	0.5

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona -----	5,693
California -----	273,762
New Mexico -----	3,678
Texas -----	23,651
United States -----	306,784